

biamp.™



EASYCONNECT
CABLE
SOLUTIONS



Extraordinary AV Experiences Powered by Premium AV Cables

EasyConnect Reliability and Performance

When choosing Biamp for your AV project, you're selecting more than just an AV solution. You're investing in the reliability and performance that only professional-grade cables can deliver.

Biamp offers a wide variety of cables carefully created to meet your diverse needs. Whether you require different lengths, varying bandwidths, or specific cable types, we've got you covered.

- **Ethernet Cables**
- **HDMI Cables**
- **USB 2.0 Cables**
- **USB 3.0+ Cables**

Our cables are carefully crafted to ensure seamless connectivity, enduring flexibility, and unparalleled reliability.

Get to experience the confidence that comes with knowing your AV system is backed by cables that are designed to meet the demands of even the most complex installations.


USB Cable Standards

4K video stream "RAW" = 5 Gbps

| AVAILABLE CONNECTORS BY USB STANDARD | | | | | | | | |
|--------------------------------------|------------------------------|-----------------|-----------------|--------------------|-----------------|-----------------|-----------------|--------------|
| Standard | USB 1.0 1996 | USB 1.1 1998 | USB 2.0 2001 | USB 2.0 Revised | USB 3.0 2008 | USB 3.1 2013 | USB 3.2 2017 | USB4 2019 |
| Maximum Transfer Rate | 12 Mbps | | 480 Mbps | | 5 Gbps | 10 Gbps | 20 Gbps | 40 Gbps |
| Type A Connector | | | | | | | Deprecated | |
| Type B Connector | | | | | | | Deprecated | |
| Type C Connector | Backwards Compatibility Only | | | | | | | |

When to Use Active vs Passive


| Range | HDMI & USB CABLE LENGTH | | Cable |
|---------------|-------------------------|--------|----------------|
| | Feet | Meters | |
| Rack/Credenza | 3 | 1 | Passive |
| | 6 | 2 | |
| | 10 | 3 | |
| Table/Ceiling | 15 | 5 | Active/Passive |
| | 30 | 10 | Active |
| 50 | 15 | | |




EasyConnect Cable Family

Our comprehensive selection ensures compatibility with a range of AV installations, providing you with convenient options and reliable connections for every scenario and an industry leading 5 year warranty.

You'll always have the perfect solution at your fingertips, making your AV setup seamless and hassle-free.



Cat5e




HDMI 2.0

| Part Nr. | Name | Description |
|--------------|----------------------|---|
| 909.1802.900 | EasyConnect C5E-3 | Cat 5e cable, 3 foot (0.9 m), snagless plug, black |
| 909.1801.900 | EasyConnect C5E-10-P | Cat 5e cable, 10 foot (3 m), plenum rated, snagless plug, black |
| 909.1800.900 | EasyConnect C5E-25-P | Cat 5e cable, 25 foot (7.6 m), plenum rated, snagless plug, black |


| Part Nr. | Name | Description | Standard Available Certifications |
|----------|-----------|---|--|
| 909.0149 | HDMI4k-3 | Cable HDMI 2.0 - 3 ft. - 1 m - Male-Male | RoHS, REACH compliant, UL-certified raw cable |
| 909.0150 | HDMI4k-6 | Cable HDMI 2.0 - 6 ft. - 2 m - Male-Male | RoHS, REACH compliant, UL-certified raw cable |
| 909.0217 | HDMI4k-10 | Cable HDMI 2.0 - 10 ft. - 3 m - Male-Male | RoHS, REACH compliant, UL-certified raw cable |
| 909.0151 | HDMI4k-15 | Cable HDMI 2.0 - 15 ft. - 5 m - Male-Male - Active | RoHS, REACH compliant, FCC, UKCA, CE-EMC, CE-LVD |
| 909.0152 | HDMI4k-30 | Cable HDMI 2.0 - 30 ft. - 10 m - Male-Male - Active | RoHS, REACH compliant, FCC, UKCA, CE-EMC, CE-LVD |
| 909.0153 | HDMI4k-50 | Cable HDMI 2.0 - 50 ft. - 15 m - Male-Male - Active | RoHS, REACH compliant, FCC, UKCA, CE-EMC, CE-LVD |

| Part Nr. | Name | Description |
|--------------|---------------------------|----------------------------|
| 909.0218.900 | EasyConnect USB-C Adapter | Adapter USB-C/HDMI 2.0/65W |



USB 2.0

| Part Nr. | Name | Description | Standard Available Certifications |
|----------|------------|------------------------------------|---|
| 909.0215 | USB2-6-AB | Cable USB 2.0 - 6 ft. - 2 m - A-B | RoHS, REACH compliant, UL-certified raw cable |
| 909.0216 | USB2-10-AB | Cable USB 2.0 - 10 ft. - 3 m - A-B | RoHS, REACH compliant, UL-certified raw cable |




USB 3.0

| Part Nr. | Name | Description | Standard Available Certifications |
|----------|------------|--|---|
| 909.0129 | USB3-3-AB | Cable USB 3.2 - 3 ft. - 1 m - A-B | RoHS, REACH compliant, UL-certified raw cable |
| 909.0130 | USB3-6-AB | Cable USB 3.2 - 6 ft. - 2 m - A-B | RoHS, REACH compliant, UL-certified raw cable |
| 909.0200 | USB3-10-AB | Cable USB 3.2 - 10 ft. - 3 m - A-B | RoHS, REACH compliant, UL-certified raw cable |
| 909.0201 | USB3-3-AC | Cable USB 3.2 - 3 ft. - 1 m - A-C | RoHS, REACH compliant, UL-certified raw cable |
| 909.0202 | USB3-6-AC | Cable USB 3.2 - 6 ft. - 2 m - A-C | RoHS, REACH compliant, UL-certified raw cable |
| 909.0203 | USB3-10-AC | Cable USB 3.2 - 10 ft. - 3 m - A-C | RoHS, REACH compliant, UL-certified raw cable |
| 909.0204 | USB3-3-BC | Cable USB 3.2 - 3 ft. - 1 m - B-C | RoHS, REACH compliant, UL-certified raw cable |
| 909.0208 | USB3-6-BC | Cable USB 3.2 - 6 ft. - 2 m - B-C | RoHS, REACH compliant, UL-certified raw cable |
| 909.0209 | USB3-10-BC | Cable USB 3.2 - 10 ft. - 3 m - B-C | RoHS, REACH compliant, UL-certified raw cable |
| 909.0135 | USB3-15-BC | Cable USB 3.2 - 15 ft. - 5 m - B-C - Active | RoHS, REACH compliant, UL-certified raw cable |
| 909.0138 | USB3-30-BC | Cable USB 3.2 - 30 ft. - 10 m - B-C - Active | RoHS, REACH compliant |
| 909.0139 | USB3-50-BC | Cable USB 3.2 - 50 ft. - 15 m - B-C - Active | RoHS, REACH compliant |

| Part Nr. | Name | Description | Standard Available Certifications |
|----------|------------|--|-----------------------------------|
| 909.0210 | USB3-3-CC | Cable USB 3.2 - 3 ft. - 1 m - C-C | RoHS, REACH compliant |
| 909.0211 | USB3-6-CC | Cable USB 3.2 - 6 ft. - 2 m - C-C | RoHS, REACH compliant |
| 909.0133 | USB3-10-CC | Cable USB 3.2 - 10 ft. - 3 m - C-C | RoHS, REACH compliant |
| 909.0212 | USB3-15-CC | Cable USB 3.2 - 15 ft. - 5 m - C-C - Active | RoHS, REACH compliant |
| 909.0213 | USB3-30-CC | Cable USB 3.2 - 30 ft. - 10 m - C-C - Active | RoHS, REACH compliant |
| 909.0214 | USB3-50-CC | Cable USB 3.2 - 50 ft. - 15 m - C-C - Active | RoHS, REACH compliant |

● Connector lock on one connector





Make it Easy with EasyConnect

Experience the convenience and efficiency of sourcing complete AV solutions from one partner.

Simplify your procurement process with one comprehensive shipment that covers all your AV cable needs. Our integrated approach means you'll enjoy seamless compatibility and maximum performance across all components of your AV system.

Backed by Biamp



**5 Year
Warranty**



**Pro Grade
Quality**



**One
Partner**



**Complete
Solutions**

biamp.[™]

9300 SW Gemini Drive
Beaverton, OR 97008 USA
Phone: +1 503.641.7287

biamp.com

©2024 Biamp Systems